FREQUENCY AND ORIENTATION EFFECTS

Radiat. Res., Vol. 102, pp. 59-70

Lu, S.-T., N. Lebda, S.M. Michaelson, and S. Pettit (1985)

SERUM-THYROXINE LEVELS IN MICROWAVE-EXPOSED RATS

Radiat. Res., Vol. 101, pp. 413-423

Lu, S.-T. and S.M. Michaelson (1987)

COMMENTS ON "EFFECTS OF CONTINUOUS LOW-LEVEL EXPOSURE TO

RADIOFREQUENCY RADIATION ON INTRAUTERINE DEVELOPMENT IN RATS"

Health Phys., Vol. 53, No. 5, p. 545

Lyle, D.B., P. Schechter, W.R. Adey, and R.L. Lundak (1983)

SUPPRESSION OF T-LYMPHOCYTE CYTOTOXICITY FOLLOWING EXPOSURE TO

SINUSOIDALLY AMPLITUDE-MODULATED FIELDS

Bioelectromagnetics, Vol. 4, No. 3, pp. 281-292

Maskarinec G. Cooper J. Swyger L (1994)

INVESTIGATION OF INCRESAED INCIDENCE IN CHLDHOOD LEUKEMIA NEAR RADIO

TOWERS IN HAWAII: PRELIMINARY OBSERVATIONS

J Environ Pathol Toxicol Oncol 13(1):33-37

Maskarinec G. Cooper J (1993)

INVESTIGATION OF A CHILDHOOD LEUKEMIA CLUSTER NEAR LOW-FREQUENCY RADIO

TOWERS IN HAWII (ABSTRACT) Am J Epidemiol 138(8):666

McRee, D.I., P.E. Hamrick, and J. Zinkl (1975)

SOME EFFECTS OF EXPOSURE OF THE JAPANESE QUAIL EMBRYO TO 2.45-GHz

MICROWAVE RADIATION

In P.W. Tyler (ed.), Ann. N.Y. Acad. Sci., Vol. 247, pp. 377-390

McRee, D.I. and P.E. Hamrick (1977)

EXPOSURE OF JAPANESE QUAIL EMBRYOS TO 2 45-GHz MICROWAVE RADIATION DURING

DEVELOPMENT

Radiat. Res., Vol. 71, No. 2, pp. 355-366

McRee, D.I., G. MacNichols, and G.K. Livingston (1981)

INCIDENCE OF SISTER CHROMATID EXCHANGE IN BONE MARROW CELLS OF THE

MOUSE FOLLOWING MICROWAVE EXPOSURE

Radiat. Res., Vol. 85, pp. 340-348

McRee, D.I., J.P. Thaxton, and C.R. Parkhurst (1983)

REPRODUCTION IN MALE JAPANESE QUAIL EXPOSED TO MICROWAVE RADIATION

DURING EMBRYOGENY

Radiat. Res., Vol. 96, No. 1, pp. 51-58

Meltz, M.L., P. Eagan, C.R. Harris, and D.N. Erwin (1988)

DOSIMETRY CONSIDERATIONS IN FAR FIELD MICROWAVE EXPOSURE OF MAMMALIAN

CELLS

Physiol. Chem., Phys., & Med. NMR, 20, pp. 23-30

Meltz, M.L., P. Eagan, and D.N. Erwin (1990)

PROFLAVIN AND MICROWAVE RADIATION: ABSENCE OF A MUTAGENIC INTERACTION Bioelectromagnetics, Vol. 11, No. 2, pp. 149-157

Merritt, J.H. and J.W. Frazer (1975)

EFFECT OF 19 MHz RF RADIATION ON NEUROTRANSMITTERS IN MOUSE BRAIN USAF School of Aerospace Medicine, Brooks AFB, Texas, Report SAM-TR-75-28

Merritt, J.H., A.F. Chamness, and S.J. Allen (1978)

STUDIES ON BLOOD-BRAIN BARRIER PERMEABILITY AFTER MICROWAVE-RADIATION Rad. and Environ. Biophys., Vol. 15, pp. 367-377

Merritt, J.H., W.W. Shelton, and A.F. Chamness (1982)

ATTEMPTS TO ALTER 45 CA $^{2+}$ BINDING TO BRAIN TISSUE WITH PULSE-MODULATED MICROWAVE ENERGY

Bioelectromagnetics, Vol. 3, No. 4, pp. 475-478

Merritt, J.H., J.L. Kiel, and W.D. Hurt (1995)

CONSIDERATIONS FOR HUMAN EXPOSURE STANDARDS FOR FAST-RISE-TIME HIGH-PEAK-POWER ELECTROMAGNETIC PULSES

Aviat., Space, and Environ. Med., Vol. 66, No. 6, pp. 586-589

Milham, S., Jr. (1983)

OCCUPATIONAL MORTALITY IN WASHINGTON STATE: 1950-1979

DHHS (NIOSH) Publication No. 83-116, October 1983, Contract No. 210-80-0088, U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, Ohio

Milham, S., Jr. (1985)

SILENT KEYS: LEUKAEMIA MORTALITY IN AMATEUR RADIO OPERATORS Lancet, No. 8432, 6 April 1985, p. 812

Milham, S., Jr. (1988a)

INCREASED MORTALITY IN AMATEUR RADIO OPERATORS DUE TO LYMPHATIC AND HEMATOPOIETIC MALIGNANCIES

Am. J. Epidem., Vol. 127, No. 1, pp. 50-54

Milham, S., Jr. (1988b)

MORTALITY BY LICENSE CLASS IN AMATEUR RADIO OPERATORS

Am. J. Epidem., Vol. 128, No. 5, pp. 1175-1176

Mitchell, C.L., D.I. McRee, N.J. Peterson, and H.A. Tilson (1988)

SOME BEHAVIORAL EFFECTS OF SHORT-TERM EXPOSURE OF RATS TO 2.45 GHZ MICROWAVE RADIATION

Bioelectromagnetics, Vol. 9, No. 3, pp. 259-268

Miura, M., K. Takayama, and J. Okada (1993)

INCREASE IN NITRIC OXIDE AND CYCLIC GMP OF RAT CEREBELLUM BY RADIO FREQUENCY BURST-TYPE ELECTROMAGNETIC FIELD RADIATION

J. Physiol., Vol. 461, pp. 513-524

Monahan, J.C. and H.S. Ho (1976)

MICROWAVE INDUCED AVOIDANCE BEHAVIOR IN THE MOUSE

In C.C. Johnson and M.L. Shore (eds.), <u>BIOLOGICAL EFFECTS OF ELECTROMAGNETIC WAVES</u>, U.S. Dept. of Health, Education, and Welfare, Washington, D.C., HEW Publication (FDA) 77-8010, Vol. 1, pp. 274-283

Myers, R.D. and D.H. Ross (1981)

RADIATION AND BRAIN CALCIUM: A REVIEW AND CRITIQUE

Neurosci. Biobehav. Rev., Vol. 5, No. 4, pp. 503-543

National Research Council (1996)

POSSIBLE HEALTH EFFECTS OF EXPOSURE TO RESIDENTIAL ELECTRIC AND MAGNETIC FIELDS

Committee on the Possible Effects of Electromagnetic Fields on Biologic Systems, National Academy Press, Washington, DC, 337 pages

Nawrot, P.S., D.I. McRee, and R.E. Staples (1981)

EFFECTS OF 2.45 GHz CW MICROWAVE RADIATION ON EMBRYOFETAL DEVELOPMENT IN MICE

Teratology, Vol. 24, No. 3, pp. 303-314

NCRP (1986)

BIOLOGICAL EFFECTS AND EXPOSURE CRITERIA FOR RADIOFREQUENCY

ELECTROMAGNETIC FIELDS

Report No. 86, NCRP Publications, Bethesda, MD 20814

Neilly, J.P. and J.C. Lin (1986)

INTERACTION OF ETHANOL AND MICROWAVES ON THE BLOOD-BRAIN BARRIER OF RATS

Bioelectromagnetics, Vol. 7, No. 4, pp. 405-414

Olcerst, R.B. and J.R. Rabinowitz (1978)

STUDIES ON THE INTERACTION OF MICROWAVE RADIATION WITH CHOLINESTERASE Radiat. Environ. Biophys., Vol 15, pp. 289-295

Olsen, R.G. and W.C. Hammer (1982)

THERMOGRAPHIC ANALYSIS OF WAVEGUIDE-IRRADIATED INSECT PUPAE

Radio Sci., Vol. 17, No. 5S, pp. 95-104

Ortner, M.J., M.J. Galvin, and D.I. McRee (1981)

STUDIES ON ACUTE *IN VIVO* EXPOSURE OF RATS TO 2450-MHz MICROWAVE RADIATION—I. MAST CELLS AND BASOPHILS

Radiat. Res., Vol. 86, pp. 580-588

Oscar, K.J. and T.D. Hawkins (1977)

MICROWAVE ALTERATION OF THE BLOOD-BRAIN BARRIER SYSTEM OF RATS

Brain Res., Vol. 126, pp. 281-293

Ouellet-Hellstrom, R. and W.F. Stewart (1993)

MISCARRIAGES AMONG FEMALE PHYSICAL THERAPISTS WHO REPORT USING RADIO-AND MICROWAVE-FREQUENCY ELECTROMAGNETIC RADIATION

Am. J. Epidemiol., Vol. 138, No. 10, pp. 775-786

Pakhomov A. G. Dubovick B. V. Degtvariov I. G. Pronkevich A. N. (1995)

MICROWAVE INFLUENCE ON THE ISOLATED HEART FUNCTION: I. EFFECT OF MODULATION

Bioelectromagnetics 16(4):241-249

Pappas, B.A., H. Anisman, R. Ings, and D.A. Hill (1983)

ACUTE EXPOSURE TO PULSED MICROWAVES AFFECTS NEITHER PENTYLENETETRAZOL SEIZURES IN THE RAT NOR CHLORDIAZEPOXIDE PROTECTION AGAINST SUCH SEIZURES Radiat. Res., Vol. 96, No. 3, pp. 486-496

Pay, T.L., E.C. Beyer, and C.F. Reichelderfer (1972)

MICROWAVE EFFECTS ON REPRODUCTIVE CAPACITY AND GENETIC TRANSMISSION IN DROSOPHILA MELANOGASTER

J. Microwave Power, Vol. 7, No. 2, pp. 75-82

Peacock P.B., J.W. Simpson, C.A. Alford, Jr., and F. Saunders (1971)

CONGENITAL ANOMALIES IN ALABAMA

J. Med. Assoc. Ala., Vol. 41, No. 1, pp. 42-50

Peacock, P.B., S.R. Williams, and E. Nash (1973)

RELATIONSHIP BETWEEN THE INCIDENCE OF CONGENITAL ANOMALIES AND THE USE OF RADAR IN MILITARY BASES

Final Report, Report No. III, Project No. 3118, November 1973, Contract No. 68-02-0791 submitted by Southern Research Institute to EPA (unpublished)

Penafiel LM, Litovitz T, Kruase D, Dest A, Mullins JM (1997)

ROLE OF MODULATION ON THE EFFECT OF MICOWAVES ON ORNITHINE

DECARBOXYLASE ACTIVITY IN L929 CELLS

Bioelectromagnetics 18(2):132-141

Peterson, D.J., L.M. Partlow, and O.P. Gandhi (1979)

AN INVESTIGATION OF THE THERMAL AND ATHERMAL EFFECTS OF MICROWAVE IRRADIATION ON ERYTHROCYTES

IEEE Trans. Biomed. Eng., Vol. 26, No. 7, pp. 428-436

Phillips, R.D., E.L. Hunt, R.D. Castro, and N.W. King (1975)

THERMOREGULATORY, METABOLIC, AND CARDIOVASCULAR RESPONSE OF RATS TO MICROWAVES

J. Appl. Physiol., Vol. 38, No. 4, pp. 630-635

Pickard, W.F. and R.G. Olsen (1979)

DEVELOPMENTAL EFFECTS OF MICROWAVES ON TENEBRIO: INFLUENCES OF CULTURING PROTOCOL AND OF CARRIER FREQUENCY

Radio Sci., Vol. 14, No. 6S, pp. 181-185

Polson, P. and J.H. Merritt (1985)

CANCER MORTALITY AND AIR FORCE BASES: A REEVALUATION-

J. Bioelectricity, Vol. 4, No. 1, pp. 121-127

Prasad, A.V., M.W. Miller, E.L. Carstensen, Ch. Cox, M. Azadniv, and A.A. Brayman (1991) FAILURE TO REPRODUCE INCREASED CALCIUM UPTAKE IN HUMAN LYMPHOCYTES AT PURPORTED CYCLOTRON RESONANCE EXPOSURE CONDITIONS

Radiat. Environ. Biophys. Vol. 30, pp. 305-320

Prausnitz, S. and C. Susskind (1962)

EFFECTS OF CHRONIC MICROWAVE IRRADIATION ON MICE

IRE Trans. Bio-Med. Electron., pp. 104-108

Presman, A.S. and N.A. Levitina (1963a)

NONTHERMAL ACTION OF MICROWAVES ON CARDIAC RHYTHM--COMMUNICATION 1. A STUDY OF THE ACTION OF CONTINUOUS MICROWAVES

Bull. Exp. Biol. Med., Vol. 53, No. 1, pp. 36-39, (Engl. Transl. of pp. 41-44 of 1962a Russ. publ.)

Presman, A.S. and N.A. Levitina (1963b)

NONTHERMAL ACTION OF MICROWAVES ON THE RHYTHM OF CARDIAC CONTRACTIONS IN ANIMALS--REPORT II. INVESTIGATION OF THE ACTION OF IMPULSE MICROWAVES Bull. Exp. Biol. Med., Vol. 53, No. 2, pp. 154-157 (Engl. Transl. of pp. 39-43 of 1962b Russ. publ.)

Preston, E., E.J. Vavasour, and H.M. Assenheim (1979)

PERMEABILITY OF THE BLOOD-BRAIN BARRIER TO MANNITOL IN THE RAT FOLLOWING 2450 MHz MICROWAVE IRRADIATION

Brain Res., Vol. 174, pp. 109-117

Preston, E. and G. Préfontaine (1980)

CEREBROVASCULAR PERMEABILITY TO SUCROSE IN THE RAT EXPOSED TO 2.450-MHz MICROWAVES

J. Appl. Physiol.: Respiratory, Environmental, and Exercise Physiol., Vol. 49, No. 2, pp. 218-223

Ray, S. and J. Behari (1990)

PHYSIOLOGICAL CHANGES IN RATS AFTER EXPOSURE TO LOW LEVELS OF MICROWAVES

Radiat. Res., Vol. 123, No. 2, pp. 199-202

Reed, J.R.III, J.L. Lords, and C.H. Durney (1977)

MICROWAVE IRRADIATION OF THE ISOLATED RAT HEART AFTER TREATMENT WITH ANS BLOCKING AGENTS

Radio Sci., Vol. 12, No. 6S, pp. 161-165

Repacholi MH, Basten A, Gebski C, Noonan D, Finnie J, Harris AW (1997) LYMPHOMAS IN Eμ-PIM1 TRANSGENIC MICE EXPOSED TO PULSED 900 MHZ

ELECTROMAGNETIC FIELDS

Radiation Research 147:631-640

Roberts, N.J., Jr. and S.M. Michaelson (1983)

MICROWAVES AND NEOPLASIA IN MICE: ANALYSIS OF A REPORTED RISK

Health Phys., Vol. 44, No. 4, pp. 430-433

Roberts, N.J.Jr., S.-T. Lu, and S.M. Michaelson (1983)

HUMAN LEUKOCYTE FUNCTIONS AND THE U. S. SAFETY STANDARD FOR EXPOSURE TO RADIO-FREQUENCY RADIATION

Science, Vol. 220, 15 April 1983, pp. 318-320

Roberts, N.J.Jr., S.M. Michaelson, and S.-T. Lu (1987)

MITOGEN RESPONSIVENESS AFTER EXPOSURE OF INFLUENZA VIRUS-INFECTED HUMAN MONONUCLEAR LEUKOCYTES TO CONTINUOUS OR PULSE-MODULATED RADIOFREQUENCY RADIATION

Radiat. Res., Vol. 110, No. 3, pp. 353-361

Robinette, C.D. and C. Silverman (1977)

CAUSES OF DEATH FOLLOWING OCCUPATIONAL EXPOSURE TO MICROWAVE RADIATION (RADAR) 1950-1974

In D.G. Hazzard (ed.), <u>SYMPOSIUM ON BIOLOGICAL EFFECTS AND MEASUREMENT OF RADIOFREQUENCY/MICROWAVES</u>, Dept. of Health, Education, and Welfare, Washington, D.C. HEW Publication No. (FDA) 77-8026

Rugh, R., E.I. Ginns, H.S. Ho, and W.M. Leach (1974)

ARE MICROWAVES TERATOGENIC?

In P. Czerski, K. Ostrowski, M.L. Shore, C. Silverman, M.J. Suess, and B. Waldeskog (eds.), <u>BIOLOGIC EFFECTS AND HEALTH HAZARDS OF MICROWAVE RADIATION</u>, Polish Medical Publishers, Warsaw, pp. 98-107

Rugh, R., E.I. Ginns, H.S. Ho, and W.M. Leach (1975)

RESPONSES OF THE MOUSE TO MICROWAVE RADIATION DURING ESTROUS CYCLE AND PREGNANCY

Radiat. Res., Vol. 62, pp. 225-241

Saito, K., K. Suzuki, and S. Motovoshi (1991)

LETHAL AND TERATOGENIC EFFECTS OF LONG-TERM LOW-INTENSITY RADIO FREQUENCY RADIATION AT 428 MHz ON DEVELOPING CHICK EMBRYO Teratology, Vol. 43, pp. 609-614

Salford, L.G., A. Brun, K. Sturesson, J.L. Eberhardt, and B.R.R. Persson (1994)
PERMEABILITY OF THE BLOOD-BRAIN BARRIER INDUCED BY 915 MHz
ELECTROMAGNETIC RADIATION, CONTINUOUS WAVE AND MODULATED AT 8, 16, 50, AND 200 Hz

Microscopy Research and Technique, Vol.27, pp. 535-542

Sanders, A.P., D.J. Schaefer, and W.T. Joines (1980) MICROWAVE EFFECTS ON ENERGY METABOLISM OF RAT BRAIN Bioelectromagnetics, Vol. 1, No. 2, pp. 171-181 Sanders, A.P. and W.T. Joines (1984)

THE EFFECTS OF HYPERTHERMIA AND HYPERTHERMIA PLUS MICROWAVES ON RAT BRAIN ENERGY METABOLISM

Bioelectromagnetics, Vol. 5, No. 1, pp. 63-70

Sanders, A.P., W.T. Joines, and J.W. Allis (1984)

THE DIFFERENTIAL EFFECTS OF 200, 591, AND 2,450 MHz RADIATION ON RAT BRAIN ENERGY METABOLISM

Bioelectromagnetics, Vol. 5, No. 4, pp. 419-433

Sanders, A.P., W.T. Joines, and J.W. Allis (1985)

EFFECTS OF CONTINUOUS-WAVE, PULSED, AND SINUSOIDAL-AMPLITUDE-MODULATED MICROWAVES ON BRAIN ENERGY METABOLISM

Bioelectromagnetics, Vol. 6, No. 1, pp. 89-97

Sandweiss, J. (1990)

ON THE CYCLOTRON RESONANCE MODEL OF ION TRANSPORT

Bioelectromagnetics, Vol. 11, No. 2, pp. 203-205

Santini, R., M. Hosni, P. Deschaux, and H. Pacheco (1988)

B16 MELANOMA DEVELOPMENT IN BLACK MICE EXPOSED TO LOW-LEVEL MICROWAVE RADIATION

Bioelectromagnetics, Vol. 9, No. 1, pp. 105-107

Sarkar, S., S. Ali, and J. Behari (1994)

EFFECT OF LOW POWER MICROWAVE ON THE MOUSE GENOME: A DIRECT DNA ANALYSIS

Mutation Res., Vol. 320, Nos. 1-2, pp. 141-147

Scholl, D.M. and S.J. Allen (1979)

SKILLED VISUAL-MOTOR PERFORMANCE BY MONKEYS IN A 1.2-GHz MICROWAVE FIELD Radio Sci., Vol. 14, No. 6S, pp. 247-252

Schrot, J., J.R. Thomas, and R.A. Banvard (1980)

MODIFICATION OF THE REPEATED ACQUISITION OF RESPONSE SEQUENCES IN RATS BY LOW-LEVEL MICROWAVE EXPOSURE

Bioelectromagnetics, Vol. 1, No. 1, pp. 89-99

Schwartz, J.L., J. Delorme, and G.A.R. Mealing (1983) [ABSTRACT]

EFFECTS OF LOW-FREQUENCY AMPLITUDE MODULATED RADIOFREQUENCY WAVES ON THE CALCIUM EFFLUX OF THE HEART

Biophys. J., Vol. 41, p. 295a

Schwartz J-L., House D.E., and Mealing G.A.R (1990)

EXPOSURE OF FROG HEARTS TO CW OR AMPLITUDE-MODULATED VHF FIELDS:

SELECTIVE EFFLUX OF CALCIUM IONS AT 16 HZ

Bioelectromagnetics 11(4):349-358

Schwartz J-L. and Mealing G.A.R. (1993)

CALCIUM-ION MOVEMENT AND CONTRACTILITY IN ATRIAL STRIPS OF FROG-HEART

ARE NOT AFFECTED BY LOW-FREQUENCY-MODULATED, 1 GHZ ELECTROMAGNETIC RADIATION

Bioelectromagnetics 14(6):521-533

Seaman RL, DeHaan RL, (1993)

INTER-BEAT INTERVALS OF CARDIAC-CELL AGGREGATES DURING EXPOSURE TO 2.45 GHZ CW, PULSED, AND SQUARE-WAVE-MODULATED MICROWAVES Bioelectromagnetics 14(1):41-55

Selvin S, Schulman J, Merrill DW (1992)

DISTANCE AND RISK MEASURES FOR THE ANALYSIS OF SPATIAL DATA: A STUDY OF CHILDHOOD CANCERS.

Soc Sci Med 34(7):769-77.

Shacklett, D.E., T.J. Tredici, and D.L. Epstein (1975)

EVALUATION OF POSSIBLE MICROWAVE-INDUCED LENS CHANGES IN THE UNITED STATES AIR FORCE

Aviation, Space, and Environ. Med., November 1975, pp. 1403-1406

Shelton, W.W., Jr. and J.H. Merritt (1981)

IN VITRO STUDY OF MICROWAVE EFFECTS ON CALCIUM EFFLUX IN RAT BRAIN TISSUE Bioelectromagnetics, Vol. 2, No. 2, pp. 161-167

Sherry, C.J., D.W. Blick, T.J. Walters, G.C. Brown, and M.R. Murphy (1995)
LACK OF BEHAVIORAL EFFECTS IN NON-HUMAN PRIMATES AFTER EXPOSURE TO
ULTRAWIDEBAND ELECTROMAGNETIC RADIATION IN THE MICROWAVE FREQUENCY
RANGE

Radiat. Res., Vol. 143, pp. 93-97

Shore, M.L., R.P. Felten, and A. Lamanna (1977)

THE EFFECT OF REPETITIVE PRENATAL LOW-LEVEL MICROWAVE EXPOSURE ON DEVELOPMENT IN THE RAT

In D.G. Hazzard (ed.), <u>SYMPOSIUM ON BIOLOGICAL EFFECTS AND MEASUREMENT OF RADIO FREQUENCY/MICROWAVES</u>, U.S. Department of Health, Education, and Welfare, HEW Publication (FDA) 77-8026, pp. 280-289

Skidmore, W.D. and S.J. Baum (1974)

BIOLOGICAL EFFECTS IN RODENTS EXPOSED TO 10 MILLION PULSES OF ELECTROMAGNETIC RADIATION

Health Phys., Vol. 26, No. 5, pp. 391-398

Smialowicz, R.J. (1976)

THE EFFECT OF MICROWAVES (2450 MHz) ON LYMPHOCYTE BLAST TRANSFORMATION IN VITRO

In C.C. Johnson and M.L. Shore (eds.), <u>BIOLOGICAL EFFECTS OF ELECTROMAGNETIC WAVES</u>, U.S. Dept. of Health, Education, and Welfare, HEW Publication (FDA) 77-8010, Vol. 1, pp. 472-483

Smialowicz, R.J., C.M. Weil, P. Marsh, M.M. Riddle, R.R. Rogers, and B.F. Rehnberg (1981) BIOLOGICAL EFFECTS OF LONG-TERM EXPOSURE OF RATS TO 970-MHz

RADIOFREQUENCY RADIATION

Bioelectromagnetics, Vol. 2, No. 3, pp. 279-284

Smialowicz, R.J., M.M. Riddle, R.R. Rogers, and G.A. Stott (1982a)
ASSESSMENT OF IMMUNE FUNCTION DEVELOPMENT IN MICE IRRADIATED IN UTERO
WITH 2450-MHz MICROWAVES

J. Microwave Power, Vol. 17, No. 2, pp. 121-126

Smialowicz, R.J., C.M. Weil, J.B. Kinn, and J.A. Elder (1982b)
EXPOSURE OF RATS TO 425-MHz (CW) RADIOFREQUENCY RADIATION: EFFECTS ON LYMPHOCYTES

J. Microwave Power, Vol. 17, No. 3, pp. 211-221

Smialowicz, R.J., R.R. Rogers, R.J. Garner, M.M. Riddle, R.W. Luebke, and D.G. Rowe (1983) MICROWAVES (2,450 MHz) SUPPRESS MURINE NATURAL KILLER CELL ACTIVITY Bioelectromagnetics, Vol. 4, No. 4, pp. 371-381

Somosy, Z., G. Thuróczy, T. Kubasova, J. Kovács, and L.D. Szabó (1991) EFFECTS OF MODULATED AND CONTINUOUS MICROWAVE IRRADIATION ON THE MORPHOLOGY AND CELL SURFACE NEGATIVE CHARGE OF 3T3 FIBROBLASTS Scanning Microscopy, Vol. 5, No. 4, pp. 1145-1155

Spiers, D.E. and S.C. Baummer (1991)

THERMAL AND METABOLIC RESPONSIVENESS OF JAPANESE QUAIL EMBRYOS FOLLOWING PERIODIC EXPOSURES TO 2,450-MHz MICROWAVES Bioelectromagnetics, Vol. 12, No. 4, pp. 225-239

State of Hawaii Department of Health, Environmental Epidemiology Program (1986)
CANCER INCIDENCE IN CENSUS TRACTS WITH BROADCSTING TOWERS IN HONOLULU,
HAWAII

Report to the City Council, City and County of Honolulu, Hawaii

Stavinoha, W.B., A. Modak, M.A. Medina, and A.E. Gass (1975)
GROWTH AND DEVELOPMENT OF NEONATAL MICE EXPOSED TO HIGH-FREQUENCY ELECTROMAGNETIC WAVES

USAF School of Aerospace Medicine, Brooks AFB, Texas; Final Report SAM-TR-75-51 on Contract F41609-74-C-0018, submitted by University of Texas Health Science Center, San Antonio, Texas

Stern, S., L. Margolin, B. Weiss, S.-T. Lu, and S.M. Michaelson (1979) MICROWAVES: EFFECT ON THERMOREGULATORY BEHAVIOR IN RATS Science, Vol. 206, 7 December 1979, pp. 1198-1201

Stevens, R.G. (1987)

ELECTRIC POWER USE AND BREAST CANCER: A HYPOTHESIS

Am. J. Epidemiol., Vol. 125, pp. 556-561

Stewart-DeHaan, P.J., M.O. Creighton, L.E. Larsen, J.H. Jacobi, M. Sanwal, J.C. Baskerville, and J.R. Trevithick (1985)

IN VITRO STUDIES OF MICROWAVE-INDUCED CATARACT: RECIPROCITY BETWEEN EXPOSURE DURATION AND DOSE RATE FOR PULSED MICROWAVES Exp. Eve Res., Vol. 40, pp. 1-13

Sulek, K., C.J. Schlagel, W. Wiktor-Jedrzejczak, H.S. Ho, W.M. Leach, A. Ahmed, and J.N. Woody (1980)

BIOLOGIC EFFECTS OF MICROWAVE EXPOSURE: I. THRESHOLD CONDITIONS FOR THE INDUCTION OF THE INCREASE IN COMPLEMENT RECEPTOR POSITIVE (CR⁺) MOUSE SPLEEN CELLS FOLLOWING EXPOSURE TO 2450-MHz MICROWAVES Radiat, Res., Vol. 83, pp. 127-137

Sultan, M.F., C.A. Cain, and W.A.F. Tompkins (1983a)

EFFECTS OF MICROWAVES AND HYPERTHERMIA ON CAPPING OF ANTIGEN-ANTIBODY COMPLEXES ON THE SURFACE OF NORMAL MOUSE B LYMPHOCYTES Bioelectromagnetics, Vol. 4, No. 2, pp. 115-122

Sultan, M.F., C.A. Cain, and W.A.F. Tompkins (1983b)
IMMUNOLOGICAL EFFECTS OF AMPLITUDE-MODULATED RADIO FREQUENCY
RADIATION: B LYMPHOCYTE CAPPING
Bioelectromagnetics, Vol. 4, No. 2, pp. 157-165

Swicord, M.L. and C.C. Davis (1983)

AN OPTICAL METHOD FOR INVESTIGATING THE MICROWAVE ABSORPTION CHARACTERISTICS OF DNA AND OTHER BIOMOLECULES IN SOLUTION Bioelectromagnetics, Vol. 4, No. 1, pp. 21-42

Szmigielski, S., A. Szudzinski, A. Pietraszek, M. Bielec, M. Janiak, and J.K. Wrembel (1982) ACCELERATED DEVELOPMENT OF SPONTANEOUS AND BENZOPYRENE-INDUCED SKIN CANCER IN MICE EXPOSED TO 2450-MHz MICROWAVE RADIATION Bioelectromagnetics, Vol. 3, No. 2, pp. 179-191

Szmigielski S, Bielec M, Lipski S, Sokolska G (1988)
IMMUNOLOGIC AND CANCER-RELATED ASPECTS OF EXPOSURE TO LOW-LEVEL MICROWAVE AND RADIOFREQUENCY FIELDS (CHAPTER 25)
In Marino AA (ed): "Modern Bioelectricity." New York: Marcel Dekker. 861-925

Szmigielski S (1996)

CANCER MORBIDITY IN SUBJECTS OCCUPATIONALLY EXPOSED TO HIGH FREQUENCY (RADIOFREQUENCY AND MICROWAVE) ELECTROMAGNETIC RADIATION The Science of the Total Environment 180:9-17

Szudzinski A, Pietraszek A, Janiak M, Wrembel J, Kalczek M, Szmigielski S (1982) ACCELERATION OF THE DEVELOPMENT OF BENZOPYRENE-INDUCED SKIN CANCER IN MICE BY MICROWAVE RADIATION Arch Dermatol Res 274:303-312

Takashima, S., B. Onaral, and H.P. Schwan (1979) EFFECTS OF MODULATED RF ENERGY ON THE EEG OF MAMMALIAN BRAINS Rad. and Environ. Biophys., Vol. 16, pp. 15-27 Taskinen, H., P. Kyyrönen, and K. Hemminki (1990)

EFFECTS OF ULTRASOUND, SHORTWAVES, AND PHYSICAL EXERTION ON PREGNANCY OUTCOME IN PHYSIOTHERAPISTS

J. Epidemiol. Community Health, Vol. 44, pp. 196-201

Thomas, J.R. and G. Maitland (1979)

MICROWAVE RADIATION AND DEXTROAMPHETAMINE: EVIDENCE OF COMBINED EFFECTS ON BEHAVIOR OF RATS

Radio Sci., Vol. 14, No. 6S, pp. 253-258

Thomas, J.R., L.S. Burch, and S.S. Yeandle (1979)

MICROWAVE RADIATION AND CHLORDIAZEPOXIDE: SYNERGISTIC EFFECTS ON FIXED-INTERVAL BEHAVIOR

Science, Vol. 203, pp. 1357-1358

Thomas, J.R., J. Schrot, and R.A. Banvard (1980)

BEHAVIORAL EFFECTS OF CHLORPROMAZINE AND DIAZEPAM COMBINED WITH LOW-LEVEL MICROWAVES

Neurobehav. Toxicol., Vol. 2, pp. 131-135

Thomas, T.L., P.D. Stolley, A. Stemhagen, E.T.H. Fontham, M.L. Bleecker, P.A. Stewart, and R.N. Hoover (1987)

BRAIN TUMOR MORTALITY RISK AMONG MEN WITH ELECTRICAL AND ELECTRONICS JOBS: A CASE-CONTROL STUDY

J. Nat. Cancer Inst., Vol. 79, No. 2, pp. 233-238

Tinney, C.E., J.L. Lords, and C.H. Durney (1976)

RATE EFFECTS IN ISOLATED TURTLE HEARTS INDUCED BY MICROWAVE IRRADIATION IEEE Trans. Microwave Theory Tech., Vol. 24, No. 1, pp. 18-24

Tofani, S., G. Agnesod, P. Ossola, S. Ferrini, and R. Bussi (1986)

EFFECTS OF CONTINUOUS LOW-LEVEL EXPOSURE TO RADIOFREQUENCY RADIATION ON INTRAUTERINE DEVELOPMENT IN RATS

Health Phys., Vol. 51, No. 4, pp. 489-499

Toler, J., V. Popovic, S. Bonasera, P. Popovic, C. Honeycutt, and D. Sgoutas (1988)
LONG-TERM STUDY OF 435 MHz RADIO-FREQUENCY RADIATION ON BLOOD-BORNE END
POINTS IN CANNULATED RATS--PART II: METHODS, RESULTS AND SUMMARY
J. Microwave Power & EM Energy, Vol. 23, No. 2, pp. 105-136

Tyazhelov, V.V., R.E. Tigranian, E.O. Khizhniak, and I.G. Akoev (1979)
SOME PECULIARITIES OF AUDITORY SENSATIONS EVOKED BY PULSED MICROWAVE
FIELDS

Radio Sci., Vol. 14, No. 6S, pp. 259-263

Tynes, T. and A. Andersen (1990)

ELECTROMAGNETIC FIELDS AND MALE BREAST CANCER

Lancet, Vol. 336, No. 8730, p. 1596

Varma, M.M. and E.A. Traboulay, Jr. (1976)

EVALUATION OF DOMINANT LETHAL TEST AND DNA STUDIES IN MEASURING MUTAGENICITY CAUSED BY NON-IONIZING RADIATION

In C.C. Johnson and M.L. Shore (eds.), <u>BIOLOGICAL EFFECTS OF ELECTROMAGNETIC WAVES</u>. U.S. Dept. of Health, Education, and Welfare, Washington, D.C., HEW Publication (FDA) 77-8010, Vol. 1, pp. 386-396

Walters, T.J., P.A. Mason, C.J. Sherry, C. Steffen, and J.H. Merritt (1995) NO DETECTABLE BIOEFFECTS FOLLOWING ACUTE EXPOSURE TO HIGH PEAK POWER ULTRA-WIDE BAND ELECTROMAGNETIC RADIATION IN RATS

Wangler, R.B., P.M. Bradley, W.D. Clift, D. Davidson, L. Higgins, K. Sandstrom, and R. Stephens (1985) LEUKAEMIA RISK IN AMATEUR RADIO OPERATORS Lancet, 29 June 1985, p. 1516

Ward, T.R. and J.S. Ali (1985)

BLOOD-BRAIN BARRIER PERMEATION IN THE RAT DURING EXPOSURE TO LOW-POWER 1.7-GHz MICROWAVE RADIATION

Bioelectromagnetics, Vol. 6, No. 2, pp. 131-143

Webb, S.J. and D.D. Dodds (1968)

INHIBITION OF BACTERIAL CELL GROWTH BY 136 GC MICROWAVES

Nature, Vol. 218, pp. 374-375, 27 April 1968

Webb. S.J. and A.D. Booth (1969)

ABSORPTION OF MICROWAVES BY MICROORGANISMS

Aviat., Space, and Environ. Med., Vol. 66, No. 6, pp. 562-567

Nature, Vol. 222, 21 June 1969, pp. 1199-1200

Webb, S.J. and M.E. Stoneham (1977)

RESONANCES BETWEEN 100 AND 1000 GHz IN ACTIVE BACTERIAL CELLS AS SEEN BY LASER RAMAN SPECTROSCOPY

Phys. Lett., Vol. 60A, No. 3, pp. 267-268

Webb, S.J., M.E. Stoneham, and H. Fröhlich (1977)

EVIDENCE FOR NON-THERMAL EXCITATION OF ENERGY LEVELS IN ACTIVE BIOLOGICAL SYSTEMS

Phys. Lett., Vol. 63A, No. 3, pp. 407-408

WHO (1981)

RADIOFREQUENCY AND MICROWAVES

World Health Organization Environmental Health Criteria 16

Wiktor-Jedrzejczak, W., A. Ahmed, P. Czerski, W.M. Leach, and K.W. Sell (1977) IMMUNE RESPONSE OF MICE TO 2450-MHz MICROWAVE RADIATION: OVERVIEW OF IMMUNOLOGY AND EMPIRICAL STUDIES OF LYMPHOID SPLENIC CELLS Radio Sci., Vol. 12, No. 6S, pp. 209-219

Williams, W.M., W. Hoss, M. Formaniak, and S.M. Michaelson (1984a)
EFFECT OF 2450 MHz MICROWAVE ENERGY ON THE BLOOD-BRAIN BARRIER TO
HYDROPHILIC MOLECULES. A. EFFECT ON THE PERMEABILITY TO SODIUM
FLUORESCEIN

Brain Res. Rev., Vol. 7, pp. 165-170

Williams, W.M., M. del Cerro, and S.M. Michaelson (1984b) EFFECT OF 2450 MHz MICROWAVE ENERGY ON THE BLOOD-BRAIN BARRIER TO HYDROPHILIC MOLECULES. B. EFFECT ON THE PERMEABILITY TO HRP Brain Res. Rev., Vol. 7, pp. 171-181

Williams, W.M., J. Platner, and S.M. Michaelson (1984c) EFFECT OF 2450 MHz MICROWAVE ENERGY ON THE BLOOD-BRAIN BARRIER TO HYDROPHILIC MOLECULES. C. EFFECT ON THE PERMEABILITY TO [14C] SUCROSE Brain Res. Rev., Vol. 7, pp. 183-190

Williams, W.M., S.-T. Lu, M. del Cerro, and S.M. Michaelson (1984d)
EFFECT OF 2450 MHz MICROWAVE ENERGY ON THE BLOOD-BRAIN BARRIER TO
HYDROPHILIC MOLECULES. D. BRAIN TEMPERATURE AND BLOOD-BRAIN BARRIER
PERMEABILITY TO HYDROPHILIC TRACERS
Brain Res. Rev., Vol. 7, pp. 191-212

Wong, L.S. and N.S. Allen (1985)

EFFECTS OF RADIOFREQUENCY ELECTRIC FIELDS ON CYTOPLASMIC STREAMING IN NITELLA

Environ, Experim. Botany, Vol. 25, No. 1, pp. 17-22

Wood AW, Lubinas V, Joyner KH, Hocking BA (1992)
CALCIUM EFFLUX FROM TOAD HEART: A REPLICATION STUDY
In Blank M (ED): "Electricity And Magnetism In Biology And Medicine." San Francisco
Press, Inc. 482-484

Wu, R.Y., H. Chiang, B.J. Shao, N.G. Li, and Y.D. Fu (1994)
EFFECTS OF 2.45-GHz MICROWAVE RADIATION AND PHORBOL ESTER
12-0-TETRA-DECANOYLPHORBOL-13-ACETATE ON DIMETHYLHYDRAZINE-INDUCED
COLON
CANCER IN MICE

Bioelectromagnetics, Vol. 15, No. 6, pp. 531-538

Yee, K.-C., C.-K. Chou, and A.W. Guy (1984)

EFFECT OF MICROWAVE RADIATION ON THE BEATING RATE OF ISOLATED FROG HEARTS

Bioelectromagnetics, Vol. 5, No. 2, pp. 263-270

Zakharova, N.M., S.I. Alekseyev, and M.N. Zhadin (1993) EFFECT OF ULTRAHIGH FREQUENCY RADIATION ON THE SPONTANEOUS IMPULSE ACTIVITY OF SURVIVING CEREBRAL CORTEX SLICES Biophys., Vol. 38, No. 3, pp. 521-525 [Transl. of Biofizika, Vol. 38, No. 3, pp. 520-523 (1993)] Zaret, M.M. (1974) CATARACTS FOLLOWING USE OF MICROWAVE OVEN N.Y. State J. Med., Vol. 74, No. 11, pp. 2032-2048

APPENDIX C:

EIR REQUIREMENT

NOTICE THAT AN ENVIRONMENTAL IMPACT REPORT IS DETERMINED TO BE REQUIRED

Date of this Notice: March 15, 1997

Lead Agency: Planning Department, City and County of San Francisco

1660 Mission Street Street - 6th Floor, San Francisco, CA 94103-2414

Agency Contact Person: Paul Maltzer Telephone: (415) 558-6391

Project Title: 96.544E - Sutro Tower Project Sponsor: Sutro Tower, Inc.

Digital Television Antennas

Project Contact Person: Debra Stein, GCA Strategies

Project Address: At Sutro Tower, on top of Mount Sutro

Assessor's Block(s) and Lot(s): 2724/3

City and County: San Francisco

Project Description: Proposed addition of a new 125-foot-long beam, with digital television antennas attached, to Sutro Tower. The existing Sutro Tower reaches a maximum height of about 975 feet. The proposed new beam and antennas would be attached to the tower between the north and south legs, on the east face, at a height ranging from about 630 feet to 755 feet above ground. The project is proposed in response to a Federal Communications Commission mandate that commercial television broadcast stations shift to Digital Television signal transmission as the next generation of technology for television broadcasting. The proposed antennas would be subject to a Discretionary Review hearing by the City Planning Commission.

THIS PROJECT MAY HAVE A SIGNIFICANT EFFECT ON THE ENVIRONMENT AND AN ENVIRONMENTAL IMPACT REPORT IS REQUIRED. This determination is based upon the criteria of the Guidelines of the State Secretary for Resources, Section 15063 (Initial Study), 15064 (Determining Significant Effect), and 15065 (Mandatory Findings of Significance), and the following reasons, as documented in the Environmental Evaluation (Initial Study) for the project, which is attached.

Deadline for Filing of an Appeal to the City Planning Commission of this Determination that an EIR is required: April 4, 1997. An appeal requires: 1) a letter specifying why an EIR should not be prepared, and; 2) a \$209.00 filing fee.

Hillary E. Gitelman

Environmental Review Officer

96.544E - SUTRO TOWER DIGITAL TELEVISION ANTENNAS

SUMMARY OF POTENTIAL ENVIRONMENTAL EFFECTS

The proposed project, as described in the attached Notice, is the addition of a new 125-foot-long beam, with new Digital TV Antennas, near the top of Sutro Tower. The project is proposed in response to a Federal Communications Commission mandate that commercial television broadcast stations shift to Digital Television signal transmission as the next generation of technology for television broadcasting. The new beam and antennas would hang down from the upper cross beam on Sutro Tower, between the north and south legs of the tower, on the east face. The beam would be situated from approximately 630 to 755 feet above ground level.

Pursuant to California Environmental Quality Act Guidelines Section 15060, the Planning Department has determined that an Environmental Impact Report (EIR) will be required for the proposed project, and will begin preparation of said EIR.

Potential environmental effects related to the following environmental features and issues will be considered in the EIR:

public health effects
visual quality/aesthetics
land use/zoning
public services and utilities, including interference with other transmission signals
energy
noise
transportation
air quality/climate
biology
geology and soils
hazardous materials
water quality/supply issues
archaeological and historic resources
population and growth inducement

Construction related, or temporary effects, will be considered as well as operational, or permanent effects. Mitigation measures for potential impacts which are identified will be discussed, as appropriate. Possible Alternative projects will also be discussed and analyzed in the EIR.

9.1 **DEFINITIONS**

anechoic. Typically a chamber lined with material that absorbs sound or radiofrequency energy and does not reflect it.

asthenic syndrome. Condition of generalized weakness, not commonly utilized as a diagnostic category in the United States.

artifact. An erroneous finding in a scientific investigation often as the result of an unintended contamination or influence or an improper procedure; e.g. a high fever was found but it was a result of a mistaken procedure that left the thermometer in the sunlight

bradycardia Decrease in heart rate.

calcium efflux. Involving altering the amount of calcium binding to cells and tissues.

cancer clusters. Observations in a localized population of a higher number of a specific cancer (e.g., leukemia, brain tumor, etc.) or total cancer than is expected from data for the general population as a whole; such clusters may be the result of either the non-random fluctuations which occur in any statistical sampling or a true causal factor in the local population; a simple demonstration of such clustering occurs upon inspection of the number of salt crystals in several small circular regions after scattering salt on a surface—some regions will have many more crystals than others although, and because, the overall scatter was random; investigations of cancer clusters often do not lead to an identified causal agent because clusters occur with surprising frequency in large populations (e.g., county-wide, state-wide or nation-wide groups) or perhaps because of unidentified transient events (e.g., infectious disease or a toxic release); however, a fundamental premise of epidemiology is that disease in certain groupings of people (including clusters) have a cause which lies in factors of the environment, diet, genetic composition, or lifestivle

carcinogenic. Capable of causing cancer.

cohort. Entire group or set of subjects used in an epidemiologic investigation.

control. To test or verify by a parallel standard or other standard of comparison.

decibel (dB). A relative unit for the measurement of the amplitude of a quantity; typically used to measure the strength of radiofrequency power, radiofrequency radiation (electromagnetic fields), and the amplification factor of an electronic amplifier; the decibel is one-tenth of a bel; the decibel is defined as a logarithmic quantity so that 3 decibels represents a factor of about 2, 10 decibels represents a factor of 10, 20 decibels represents a factor of 100, 30 decibels a factor of 1000, etc.

denature. To treat by chemical or physical means so as to alter its original state.

diathermy. The localized elevation of temperature in body tissues by radiofrequency electric currents, microwaves, or ultrasound for therapeutic purposes.

direct current (DC). An electric current that remains steady and does not change strength or direction over time.

dosimetry. The measurement of dose; in radiofrequency research calculations and measurements of exposure in terms of power density and SAR.

electric field. Radiation from an electric source.

electromagnetic field (EMF). The form of energy which surrounds an electric charge; especially the energy surrounding a device such as an antenna.

errors of commission. An act of the subject making the wrong choice during an experiment.

extremely low frequency (ELF). The portion of the electromagnetic spectrum from zero to 300 Hz.

field. The form of energy arising from a localized source of charge or current.

fluoroscopy. Examination by means of X-ray against a screen coated with a fluorescent substance.

gene. A region of DNA in the cell nucleus containing specific hereditary traits.

glomerular. Of the inner portion of the kidney.

handling. Holding/treating laboratory animals so they become accustomed to humans

hemolysis. Loss of hemoglobin, cell breakdown.

hertz (H). Unit for measuring frequency of an alternating electric current or any repetitive activity. One hertz equals one cycle per second.

histopathologic. Pertaining to the cells and tissues of diseased or abnormal tissue.

hormone. Chemical substances, often produced by glands in the body that are circulated in the blood to control cellular functions; e.g., pituitary gland hormones carry messages from the brain to cells in the body

hyperthermia. Elevation of tissue temperature above normal by absorption or generation of heat; muscle activity; hot environments and microwave irradiation are typical means to achieve hyperthermia.

in vitro. Within an artificial environment, especially for cells and tissues tested in glass or plastic vessels.

in vivo. Within a living organism.

ionizing radiation. frequencies are the highest (above 10^{19} hertz) of all electromagnetic waves. It yields enough energy to expel an electron from a molecule.

juxtamedullary. Area around the medulla, the inner portion of the kidney.

kilovolt (kV). One thousand volts.

lossy. Capable of dissipating energy and producing heat.

magnetic field (MF). A moving electric charge exerts a force on other moving charges; field produced by an electric current.

microwaves. Electromagnetic radiation with a frequency above 300 MHz and below 300 GHz; a form of nonionizing radiation.

mitosis. Process of cell reproduction or division.

modulation. Time-varying changes in a radiofrequency emission which permit encoding of information for purposes like radio, cellular telephones, television, fax transmissions, and computer connections via a modem; modulation may involve changing signal amplitude, frequency, or phase; pulse modulation is a special class of amplitude modulation in which the signal is shifted from zero (off) to full power (on) and may be combined with additional forms of modulation during the on time.

mutagenic. Causing mutations to cells.

non-ionizing radiation. Energy level of these electromagnetic waves is too low to eject electrons from (or ionize) atoms or molecules.

phase. Timing of an alternating (AC) electric current.

prolate-spheroidal. Sphere elongated along its polar axis.

promoter. This is an agent that accelerates growth of malignant tumors.

sham. Imitation; feigned.

physiologically significant amount of heat. An energy input sufficient to stimulate a change or changes in thermoregulatory body functions such as sweating, breathing rate, and blood flow rate, or to cause changes in cellular functions such as firing rates of nerve cells and beating rates of heart cells, or to cause changes in biochemical functions such as activity levels of enzymes and amounts of proteins produced by cells.

tachycardia. Increase in heart rate.

terata. Anatomical aberrations.

teratogenic. Causing anatomical aberrations

thermal levels. Levels related to heating of a body or cells.

thermoelastic. Deformation of a substance within its elastic range due to heat change.

voltage. Measure of electric tension which is measure in volts (V).

watt. Equal to the power in a circuit of one ampere flows across a potential difference of one volt.

9.2 ACRONYMS

AChE. Acetylcholinesterase

ACTH adrenocorticotrophic hormone

A/m. amperes per meter

AM. amplitude-modulated

ANSI American National Standards Institute

ARRL American Radio Relay League

ARMS. adjusted root mean square

ATP. adenosine triphosphate

BBB Blood-brain barrier

CI confidence interval

cm² square centimeter

CNS. central nervous system

CS. conditional stimulus

CS. corticosterone

CW. continuous-wave

dB. decibel

DENA di-ethyl-nitroso-amine

DTV digital television

EEG electroencephalogram

ELF. extremely low frequency

EMF. electromagnetic field EMP. electromagnetic pulse

EPA. Environmental Protection Agency

FCC. Federal Communications Commission

FI. fixed-interval

FM. frequency modulation

FOB. functional observational battery

GHz. gigahertz (1 billion hertz)

GMP. guanosine triphosphate

Hb. hemoglobin

HMBA hexamethylene bisacetamide

Hz. hertz

IEEE. Institute of Electrical and Electronic

Engineers

INIRC. International Non-Ionizing Radiation

Committee

IR. infrared radiation

IRPA. International Radiation Protection

Association

IRT interresponse-time

J/g joules per gram

K⁺ potassium ion

kg. kilogram (1,000 grams)

kHz. kilohertz (1,000 hertz)

LDH. lactic acid dehydrogenase

MEL. murine erythroleukemic

MPE. maximum permissible exposure

MHz. megahertz (1,000,000 hertz)

MI myocardial infarction

mW. milliwatt (one thousandth of a watt)

mV. millivolt

Na⁺ sodium ion

NK. natural killer

NTSC. National Television Standards Committee

OR odds ratio

OSHA. Occupational Safety Health Administration

PEP. Primate Equilibrium Platform

pps. pulses per second

PSC posterior subcapsular cataract

PSCI posterior subcapsular iridescence

RBC. red blood cell

RFR radiofrequency radiation

RMS. root mean square

RR relative risk

SAR. specific absorption rate

SCC. Standards Coordinating Committee

SD standard deviation

SMR standardized mortality ratio

TD time discrimination

TLV threshold limit value

TPA. 12-O-tetra decanoyl phorbol-13-acetate;

tumor promoting agent

μW. microwatt (one millionth of a watt)

μW/cm² microwatt per square centimeter

UCS. unconditional stimulus

UWB ultrawideband

V/m. volts per meter

W/m² watts per square meter

		1 1 1 1
		1 1 1 1 1
		1 1 1
		1 1 1 1
		1 1 1 1 1
		1 1 1 1 1
		1 1 1 1
		1 1 1 1 1
		1 1 1